


HanneSpread G



Cover Type:	Special rubber
Possible applications:	felt spreading roll
Hardness Range:	75 Shore D
Recommended Cover Thickness:	max. 15 mm
Temperature resistance:	Dry: continuous 90°C / peak 100°C
Chemical resistance:	Acid solutions: Good Alkaline solutions: Good Hot water and steam: Good Ozone: Good Oil and grease: Good Chlorinated solvents: Moderate Polar solvents (MEC, ether, acetate,...): Moderate
Remark:	- reference list available on demand - good resistance to standard chemicals normally used in paper machines