

# XL Plast



<b>Cover Type:</b>	Special rubber
<b>Possible applications:</b>	Tissue paper converting : embossing rollers - recommended quality for high pattern embossing, embossing of household towels and kitchen paper (50 shore hardness)  Embossing rollers in other industrial areas : PVC, wall paper, plastic film, flexible packaging, non-woven, wood and décor...
<b>Hardness Range:</b>	50, 95 Shore A
<b>Recommended Cover Thickness:</b>	min. 10 mm - max. 20 mm
<b>Temperature resistance:</b>	Dry: continuous 125°C / peak 140°C
<b>Properties and advantages:</b>	High resistance to mechanical stress  High resilience (fast elastic recovery to the original shape)  Superior abrasion resistance  Consistent hardness in time  Faithful and constant pattern reproduction
<b>Chemical resistance:</b>	Acid solutions: Very good Alkaline solutions: Good Hot water and steam: Good Ozone: Very good Oil and grease: Good Aromatic solvents (toluene, benzene,...): Not suited Chlorinated solvents: Not suited Polar solvents (MEC, ether, acetate,...): Not suited Alcohols (ethanol, IPA,...): Very good Ageing resistance: Very good
<b>Recommended cleaning products:</b>	(Warm) water, soap, industrial cleaners and detergents, alcohol, (diluted) acid cleaners
<b>Remark:</b>	XL Plast-D, XL Plast-T and XL-Plast-M : multilayer solutions for optimized results in specific, demanding applications